

Welcome to the dimension of cleaning 4.0!













# Quality you can see for yourself: a design that's a pleasure to look at, which accentuates every single detail

The precisely defined forms of the front give the machine a decisive character exuding an impression of unrivalled robustness.

Taking pride of place at the lower part of the front is an elegant, elongated front fascia between 2 LED headlights creating a boldly expressive look.


The clean, flowing lines continue to the rear of the machine, lending a sense of dynamism to the whole and underscoring the exclusiveness and attention to detail of the design.

The design is complemented to perfection by materials selected and used according to the most exacting standards, making a bold visual statement that expresses the essence and extraordinary quality of this machine.





### **DESIGN**



# The rounded design of the body protects the machine and keeps the value of your investment over time








### **COMFORT**

Padded in soft material, the seat boasts ergonomic forms offering effective back support and also features forwards and backwards adjustment. This equates to a stress-free experience for the operator, who can work for hours on end without any effort





Boasting FNC and Eco Mode technology, the MMg can also work extremely quietly when needed, to safeguard the health of the operator and of any people nearby

### YELLOW COLOUR-CODED PARTS

Parts which must be cleaned regularly at the end of every shift are colour coded in yellow for easy identification, saving time and making sure that your scrubbing machine is kept in perfect condition at all times



### SERVICE LIGHTS



The exclusive lights pack offers increased visibility of the parts which could require operator inspection, illuminating the relative zones with LED lights

Ergonomic forms optimized for total freedom of movement and maximized operator comfort



The lateral paddles offer the operator even greater control over the machine, for total peace of mind and a comfortable, safe driving experience

The design of the front maximizes the room for the legs and brings the steering wheel closer to the operator, making the machine even more comfortable to use

The footrest zone is designed to offer impressive space for the feet despite the compact dimensions of the machine

The lowered footboard facilitates access from both sides and allows the operator sit easily without any efforts





### PERFORMANCE AND PRODUCTIVITY

### **POWER MODE**



When more scrubbing power is needed, activating Power Mode increases the delivery rate of detergent solution and boosts brush pressure and vacuum power for the time necessary to tackle heavy duty cleaning

### **ZONE PROGRAMS**



To ensure the desired cleaning results in all conditions and prevent the risk of tampering, the site supervisor can save a number of separate configurations with specific cleaning parameters for different work environments. The operator simply has to select the zone to be cleaned, and the machine is configured automatically with all the right settings



Lets the operator monitor cleaning results in real time from the display, without taking his or her eyes off the direction of travel




### A LATERAL BRUSH FOR EVEN MORE GREATER PRODUCTIVITY

The third brush moves laterally to facilitate cleaning along walls or shelves, increasing productivity by up to 15%



# The strengths of the MMg behind its extraordinary performance







**ACTIVE TECHNOLOGIES to prevent accidents** 



The anti-collision system detects obstacles when reversing, helping the operator work in complete safety and protecting the machine

ANTI-COLLISION SYSTEM



Facilitates manoeuvres in reverse by detecting obstacles

REAR VIEW
CAMERA



Enhances visibility in dim light

Safety is paramount The MMg is equipped with a host of safety systems and features to keep the

operator in complete control at all times and work with total peace of mind

TOUCH SCREE



**STEERING** 

The steering wheel controls offer the operator even greater control when cleaning, and also improve safety by eliminating distractions and letting the operator keep his or her eyes on the zone ahead of the machine



Front and rear LED headlights maximize work safety in all conditions

WHEEL CONTROLS REAR HEADLIGHTS

Position lights / Brake lights

Reverse lights

FRONT HEADLIGHTS

Position lights

Driving lights

# On the road to accident-free cleaning



Maintains a constant speed when driving downhill, and prevents sudden increases in speed caused by gravity

The traction control system, which brakes and holds

**DESCENT** CONTROL

the machine when the accelerator pedal is released, provides assistance for both uphill and downhill gradients

Control device letting the operator set the required speed

**CRUISE** CONTROL



Any questions? MMg has all the answers, with tutorials to help the operator in every aspect of the job

**VIDEO TUTORIALS** 



Automatically reduces speed when steering without the operator using the brake


**ESC - ELECTRONIC** STABILITY CONTROL

### **PASSIVE SYSTEMS** to help the operator in case of emergency




By pressing a single button the machine stops immediately

**EMERGENCY** 





# **TECHNOLOGY**





TOUCH SCREEN DISPLAY



LOG-IN WITH PASSWORD



ZONE PROGRAMS



CRUISE CONTROL



SUSTAINABLE CLEANING



SEVERE CLEANING



REAR VIEW CAMERA



ANTI-COLLISION SYSTEM



VIDEO TUTORIALS

# Driving system with touchscreen display which transforms cleaning into a revolutionary experience



The operator is the centre of a high-tech universe, where everything is easy, intuitive and dynamic

All functions and activities are managed from a single interface, where a mere touch of the finger offers access to an extraordinary choice of customisable features to satisfy all types of requirements with extreme simplicity.

The high definition colour display offers the same intuitive experience as a smartphone



LOG-IN WITH PASSWORD To protect your investment



ZONE PROGRAMS
For all the performance you'll ever need



**ECO MODE**To protect the environment



POWER MODE For maximum power when you need it



REAR VIEW CAMERA
To keep everything under control



VIDEO TUTORIALS
For a more efficient, fast and easy operator training



Discover the FFM universe and experience the advantages of being constantly connected, with My.Machine app!







Watch the video

Developing new technology to improve efficiency is one of the core missions of Fimap.

An example of this is FFM, the Fimap Fleet Management system which collects the data sent by the machines and transforms it into valuable information accessible to you easily in real time, 24/7, from your smartphone, through the app My.Machine. Being constantly connected to your machines will help you operate them even more efficiently and effectively. My.Machine lets you know where the machines are, if the operation is being

carried out according to plans and at the scheduled time.

The machines health status is constantly monitored. In the very unlikely event of a breakdown, you'll receive an alert notification directly on your smartphone, allowing you to take action promptly and immediately call the technical support.

You can check the battery conditions and the quality of the charges in order to optimize battery endurance and life cycle.

Keep tabs on your machines remotely when you want and from wherever you want!







USAGE INFORMATION



HEALTH STATUS



ENVIRONMENTAL IMPACT

You know where your machines are

You know how your machines are used

You know the health status of machines and batteries

You can check the machine consumption per intervention



Fimap sustainable technologies contribute to protecting the environment and also encourage and help the user to use resources responsibly, offering many advantages.

Advanced technological solutions offer a reduction in cost per sq.m. cleaned, more working autonomy, time savings and better cleaning results, letting you cover more surface area with the same resources.



The Eco Mode function helps prevent water, detergent and energy consumption by using only the quantities you need and nothing more



### **START&STOP**

When the machine is idle, the brush motor, the vacuum motor\*, the traction and the water flow will turn off automatically, reducing costs and emissions. All the functions are reactivated automatically as soon as the operator touches the accelerator again

\* In basic versions suction turns of when the squeegee is lifted up









### FLR-FIMAP LONG RANGE

Reduces water and detergent consumption per cleaning operation by up to 66%\*. This is a system which recycles detergent solution to increase autonomy: to scrub more sq.m. while using less resources



### **FSS-FIMAP SOLUTION SAVER**

Water and detergent quantities are separately dosed, reducing consumption by up to 50%



### **FWF-FIMAP WATER FLOW**

Ensures uniform cleaning results across the entire working width on the first pass, optimising detergent solution consumption





### **FES-FIMAP ENERGY SAVER**

Reduces energy consumption by up to 35%

### LED TECHNOLOGY

Up to 80% lower energy consumption than conventional headlights. The LED headlights consume much less energy than conventional headlights, offer a longer lifespan and illuminate with a brilliant white light similar to natural daylight









### FNC-FIMAP NOISE CANCELLING Reduces sound pressure

\*Saving calculated on a triple recycling cycle



### **VERSATILITY**

An extensive choice of configurations to give you the best performance possible in all conditions, on any floor, with any type of dirt and in any environment



# A solution for any requirement





# **AVAILABLE IN 2 VERSIONS**



### **OPTIONALS AND ACCESSORIES**

### **OPTIONALS**



Front and rear LED headlights



On-board battery charger for quicker, more



The third lateral brush increases cleaning performance along walls (available for MMg disc versions)



2 side sweeping brushes increase cleaning performance along walls (available for Cylindrical versions)



Rear/front super elastic wheels, for minimal FLR-FIMAP LONG RANGE vibration and increased comfort






FFM-FIMAP FLEET MANAGEMENT



FSS - FIMAP SOLUTION SAVER

### **ACCESSORIES**






A wide choice of disc or cylindrical brushes in PPL is offered, available in thicknesses from 0.3 to 0.9 cm. These offer the perfect solution for dealing with any type of dirt on any floor

### Abrasive brushes:

Ideal for heavy duty cleaning on industrial surfaces



Pads

Superior abrasiveness for rapid and thorough heavy duty cleaning

Ideal for removing dirt from more delicate floors (rubber or linoleum)

Ideal for scrubbing delicate or treated floors, and achieving an instant shine



Rear squeegee rubber blades

### 33 SHORE (PARA)

For maintenance cleaning of smooth floors

### 40 SHORE (PARA)

For stubborn dirt on floors with joints

For heavy duty cleaning on industrial floors, even with wide gaps




## OPTIONAL AND STANDARD EQUIPMENT

	DUA	L DISC	CYLIN	ORBITAL	
USER EXPERIENCE	MMg	MMg Plus	MMg Cylindrical	MMg Cylindrical Plus	MMg Orbital
iD-Intelligent Drive:		•		•	
- 5 inch high resolution color touch screen		•	-	•	_
- Log-in with password		•	_	•	_
- Zone programs		•	-	•	_
- Cruise control		•		•	-
- Eco Mode		•		•	-
- Power Mode		•	-	•	-
- Rear view camera	-	•	-	•	-
- Anti-collision system		•	-	•	-
- Video tutorials		•	-	•	-
COMFORT					
		•			•
Hour meter Cleaning solution level indicator		•	•	•	•
Cleaning solution level indicator	<u> </u>	•	•	•	•
Fresh water empty tank light Battery charger	- 0	•	- 0	•	<u> </u>
	-	•	0	•	-
Brush and squeegee actuator Brush and squeegee manual lifting	•	-	•		•
brush and squeegee manual illting		-	·	-	
PRODUCTIVITY					
Water flow selector	•	•	•	•	•
Triple pressure selector	-	•	-	•	-
Extra pressure	•	-	•	-	•
Vacuum speed selector	-	•	-	•	-
Right-hand side scrubbing brush	0	0	-	-	-
2 sweeping side brushes	-	-	0	0	-
3 stage vacuum motor	-	•	-	•	-
FFM (Fimap Fleet Management)	0	0	0	0	0
Squeegee and squeegee support in aluminum	•	•	•	•	•
Side splash guards	•	•	-	-	-
SAFETY					
Blinking light	•	•	•	•	•
Driving LED headlights (front-rear)	0	-	0	-	0
Driving (front-rear) and service LED lights	-	•	-	•	-
Super elastic wheels (front-rear)	0	0	•	•	0
Ramp up	•	•	•	•	•
Stop&Go	•	•	•	•	•
Descent control	•	•	•	•	•
ESC (Electronic Stability Control)	•	•	•	•	•
Emergency Stop	•	•	•	•	•
ENVIRONMENT					
FSS (Fimap Solution Saver)		0	-	-	-
FLR (Fimap Long Range)	0	-	0	-	0
FNC (Fimap Noise Canceling)	•	-	•	-	•
FES (Fimap Energy Saver)	•	•	•	•	•
FWF (Fimap Water Flow)	•	•	-	-	-
StarttStop	•	•	•	•	•
	• STANE		o UPON REQUEST	- NOT AV	AHADIE

# **DIMENSIONS AND TECHNICAL DATA**







		DUAL DISC		CYLINDRICAL		ORBITAL	
TECHNICAL DATA – MMg		MMg	MMg Plus	MMg Cylindrical	MMg Cylindrical Plus	MMg Orbital	
Productivity theoretical	up to sqm/h	45	 530	38	370	4260	
Estimated coverage	up to sqm/h	2643		2258		2485	
CONTINUING CACTEM							
SCRUBBING SYSTEM Working width		755		645		710	
Working width Working width with side brushes	mm (n.) mm	755 (1) 850		(2) 940		710	
Brush motors	(n.) V/W	(2) 24/500		(2) 24/450		(1) 24/680	
Brush rpm (central / side)	rpm	140/150		550/65		(1) 24/000	
Oscillations		140/150		- 350/65		2000	
Brush pressure (min - max)	rpm kg	36÷110		30÷40		42÷100	
brush pressure (min - max)	ку	30-	<del>.</del> 110	30-	30÷40		
TANK AND RECOVERY SYSTEM							
Solution tank	1			110			
Recovery tank	I			110			
Suction motor	V/W	24/422	24/680 (3 Stadi)	24/422	24/680 (3 Stadi)	24/422	
Vacuum water lift	mbar	118	147	118	147	118	
Detergent tank capacity (FSS)	I		-	10		-	
Maximum volume of the debris hopper	I	-	-		-		
BATTERY SYSTEM		_				_	
Supply/traction	V			24/aut.			
Batteries	(no.) V/Ah C5			(4) 6/180 GEL (4) 6/210 WET			
Battery run time*	up to h	4,3	3,9	4,3	4	3,9	
PROPELLING SYSTEM		_					
Forward working speed	km/h			6			
Transport speed	km/h	8					
Gradeability (Working / Transport at gross weight / Trailer ramp empty)	%	7 / 10 / 18					
Traction motor	V/W	24/520					
SPECIFICATIONS							
Machine dimensions (L x h x w)	mm			1602 1242 881			
Squeegee width	mm			880			
Machine weight empty without batteries	kg	267		275		253	
Machine weight empty with batteries	kg	391		399		377	
GVW (Gross Vehicle Weight)	kg	591	600	608	617	567	
Sound level (ISO 11201)	dB (A)	63,3	71,5	63,3	71,5	63,3	
Sound level (ISO 11201) - Eco Mode	dB (A)	-	67,5	-	67,5	-	
Minimum aisle turn	mm			2077			

<sup>\*</sup>Run times are based on continuous scrubbing run times



Your best investment in cleaning

The service package that gives you more of what you need for less than you think! We want you to deal only with your work, leave everything else to Fimap Life!

### FIMAP INTELLIGENCE



### FIMAP FINANCE



### FIMAP MAINTENANCE



### (A) FIMAP FLEET MANAGEMENT



### FIMAP NETWORK



## FIMAP ACADEMY











For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com







