



ACID POWER



SUPERACTIVE ACID DESCALER

- High performing
- Removes limescale and concrete deposits quickly and effectively
- For very stubborn deposits

Buffered super-active acid detergent for the removal of scale, cement, white lead residues, salt efflorescence and rust from acid-resistant surfaces. Excellent also for cleaning cement mixers. Also ideal for final cleaning of the construction site for the removal of whitewash and plaster.

? HOW TO USE

Dilute the product in water to the recommended concentration. Apply the solution to the surface; leave to act and rub with special abrasive pads. Rinse thoroughly and neutralise with an alkaline substance if necessary. It can be used either manually or mechanically with a mono-brush or low pressure water jet cleaners.





DILUTION

5% - 20% (0,5 L - 2 L every 10 L of water).

A TECHNICAL DATA

ASPECT: Clear liquid COLOR: Colorless/yellow PERFUME: Almond

COV: 1,20%

PH Active substance [%] Density (g/ml) Pressure (bar) Viscosity (cP) Total dry residue [%]









ACID POWER

(!) WARNINGS

May be corrosive to metals. Causes severe skin burns and eye damage. Wear eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage. Contents HYDROCHLORIC ACID.



₽ NOTES

Do not use on limestone surfaces (marble, tiles, stone, travertine, taps and all materials sensitive to acids (aluminium, chrome plating, enamel surfaces, etc.). It is advisable to always carry out a test in advance to check the resistance of materials and surfaces to possible corrosion. Sutter Professional cannot be considered liable for any damage due to improper product use.

Only for professional use. Safety data sheet available on request.

PACKAGING

Code	Size	Quantity	Pallet
5578	Kg 5	4	9x4=36

