

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Light D1.2

Revision: 2025-03-27 Version: 07.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Light D1.2

UFI: TUF4-60NX-V004-ADR3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Dish wash product. For professional use only.

Uses other than those identified are not recommended. Uses advised against:

\mbox{SWED} - Sector-specific worker exposure description : $\mbox{AISE_SWED_PW_8a_2}$ $\mbox{AISE_SWED_PW_19_1}$

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H319 - Causes serious eye irritation.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
			number			percent
sodium alkylbenzenesulphonate	290-656-6	90194-45-9		Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315)		3-10
				Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		

Alcohols, C10-16, ethoxylated, sulfated,	[4]	68585-34-2	[4]	Skin irritation, Category 2 (H315)	3-10
sodium salts (3 EO)				Serious eye damage, Category 1 (H318)	
				Chronic aquatic toxicity, Category 3 (H412)	
bronopol (INN)	200-143-0	52-51-7	01-211998093	Acute toxicity - Oral, Category 4 (H302)	0.01-0.1
			8-15	Acute toxicity - Dermal, Category 4 (H312)	
				Specific target organ toxicity - Single exposure,	
				Category 3 (H335)	
				Skin irritation, Category 2 (H315)	
				Serious eye damage, Category 1 (H318)	
				Acute aquatic toxicity, Category 1 M=10 (H400)	
				Chronic aquatic toxicity, Category 1 M=1 (H410)	

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get

medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use. Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	•	-	-	0.425
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	-	1.1	-	0.35

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	0.013 mg/cm ² skin	7	0.013 mg/cm ² skin	2.3

DNEL/DMEL dermal exposure - Consumer

BITEL BINEL dermar expectate Conteamer				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	0.008 mg/cm ² skin	4.2	0.008 mg/cm ² skin	1.4

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	4.2	12.3	4.2	4.1

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	1.3	3.7	1.3	1.2

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment

	(mg/l)	(mg/l)		plant (mg/l)
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	0.01	0.0008	0.0025	0.43

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
bronopol (INN)	0.041	0.00328	0.5	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

<u></u>	- p a.a				
	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE SWED PW 8a 2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.5

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection:No special requirements under normal use conditions.
Respiratory protection:
No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Green Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
bronopol (INN)	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.
Flash point (°C): Not determined
Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

ISO 4316

ISO 4316

Autoignition temperature: Not determined

Decomposition temperature: Not applicable. pH: ≈ 6 (neat) Dilution pH: ≈ 7 (0.5 %)

Kinematic viscosity: Not determined DM-006 Viscosity - Standard

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
bronopol (INN)	280	Method not given	23

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data

Substance data vapour pressure

Vapour pressure: Not determined

Oubstance data, vapour pressure			
Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
bronopol (INN)	0.0051	OFCD 104 (FU A 4)	20

Relative density: ≈ 1.03 (20 °C) Relative vapour density: -.

Particle characteristics: No data available.

Method / remark OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2 Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium alkylbenzenesulphonate	LD 50	> 1470	Rat	OECD 401 (EU B.1)		1470
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 401 (EU B.1)		Not established
bronopol (INN)	LD 50	305	Rat	OECD 401 (EU B.1)		305

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium alkylbenzenesulphonate		No data available				Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established
bronopol (INN)	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
					unie (n)
sodium alkylbenzenesulphonate		No data			
		available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data			
		available			
bronopol (INN)	LC 50	≥ 0.588 (dust)	Rat	Method not given	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not established	Not established	Not established	Not established
bronopol (INN)	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Irritant	Rabbit	OECD 404 (EU B.4)	
bronopol (INN)	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	Severe damage	Rabbit	OECD 405 (EU B.5)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Severe damage	Rabbit	OECD 405 (EU B.5)	
bronopol (INN)	Severe damage	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
bronopol (INN)	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
bronopol (INN)	Not sensitising	Guinea pig	OECD 406 (EU B.6)	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
bronopol (INN)	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium alkylbenzenesulphonate	No data available		No data available	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		No data available	
1 \ /	No evidence for mutagenicity, negative test results	Method not given	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium alkylbenzenesulphonate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
bronopol (INN)	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium alkylbenzenesulphonat e			No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available				
bronopol (INN)			No data available				No adverse effects observed

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium alkylbenzenesulphonate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	NOAEL	No data available	Rat	OECD 408 (EU B.26)	90	
bronopol (INN)		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium alkylbenzenesulphonate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
bronopol (INN)		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium alkylbenzenesulphonate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
bronopol (INN)		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium alkylbenzenesulphonat e			No data available					
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available					
bronopol (INN)			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
bronopol (INN)	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
bronopol (INN)	Respiratory tract

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	LC 50	1.67	Lepomis macrochirus	EPA-OPPTS 850.1075	96
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LC 50	> 1 - 10	Brachydanio rerio	OECD 203, flow-through	96
bronopol (INN)	LC 50	11	Lepomis macrochirus	OPP 72-1, static (EPA)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	EC 50	1.62	Daphnia magna Straus		48
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10	Daphnia magna Straus	OECD 202, static	48

ı	bronopol (INN)	EC 50	1.08	Daphnia	OECD 202 (EU C.2)	48
				magna Straus		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
sodium alkylbenzenesulphonate	EC 50	29	Selenastrum		96
			capricornutum		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10		OECD 201, static	72
bronopol (INN)	EC 50	0.25	Pseudokirchner	OECD 201 (EU C.3)	72
			iella		
			subcapitata		

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium alkylbenzenesulphonate		No data			
		available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data			
		available			
bronopol (INN)		No data			
	1	available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium alkylbenzenesulphonate		No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 10	> 10000	Pseudomonas putida		
bronopol (INN)	EC 20	2	Activated sludge	OECD 209	150 minute(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate	NOEC	> 2.5-1		Method not given		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	NOEC	0.12	Oncorhynchus mykiss	Method not given	28 day(s)	
bronopol (INN)	EC 50	> 10-100	Oncorhynchus mvkiss	OECD 210	49 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
bronopol (INN)	EC 50	0.06	Daphnia	OECD 211,	21 day(s)	
			magna	flow-through		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium alkylbenzenesulphonate		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
bronopol (INN)		No data available				

Terrestrial toxicity

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		soil)			unie (uays)	
bronopol (INN)	LD 50	> 500	Eisenia fetida	OECD 207	14	

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
bronopol (INN)	No data available	OECD 111	Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Biodegradation

ability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO ₂ production	85% in 29 day(s)	OECD 301B	Readily biodegradable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
bronopol (INN)	Activated sludge, aerobe		70-80%	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium alkylbenzenesulphonate	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
bronopol (INN)	0.18	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium alkylbenzenesulphonat e	No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				
bronopol (INN)	3.167		QSAR	No bioaccumulation expected	

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium alkylbenzenesulphonate	No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				
bronopol (INN)	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The concentrated contents or contaminated packaging should be disposed of by a certified handler Waste from residues / unused products: or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

20 01 29* - detergents containing dangerous substances. **European Waste Catalogue:**

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods 14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

anionic surfactants 2-Bromo-2-Nitropropane-1,3-Diol, perfumes 5 - 15 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3436 Version: 07.1 Revision: 2025-03-27

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 3, 4, 8, 9, 11, 12

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 ATE Acute Toxicity Estimate
 DNEL Derived No Effect Limit
 CC50 effective concentration, 50%
 ERC Environmental release categories
 EUH CLP Specific hazard statement

- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
 NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic

- PBT Persistent, Bioaccumulative and Toxic

 PNEC Predicted No Effect Concentration

 PROC Process categories

 REACH number REACH registration number, without supplier specific part

 vPvB very Persistent and very Bioaccumulative

 H302 Harmful if swallowed.

 H312 Harmful in contact with skin.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- + H410 Very toxic to aquatic life with long lasting effects.
 + H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet