

Actival F4r

Revision: 2024-12-13

Version: 01.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Actival F4r

UFI: U1NH-C16M-X00V-XFPQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.
For professional use only.
Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1
AISE_SWED_PW_8b_1
AISE_SWED_PW_4_1
AISE_SWED_PW_10_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B (H314)
Serious eye damage, Category 1 (H318)
Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide), alkyl alcohol ethoxylate (Trideceth 7-10)

Hazard statements:

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.

Activall F4r

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--------------------------|-----------|-------------|----------------------|---|-------|----------------|
| sodium hydroxide | 215-185-5 | 1310-73-2 | 01-211945789 2-27 | Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290) | | 3-10 |
| sodium cumenesulphonate | 239-854-6 | 15763-76-5 | 01-211948941 1-37 | Eye irritation, Category 2 (H319) | | 3-10 |
| alkyl alcohol ethoxylate | [4] | 69011-36-5 | [4] | Eye irritation, Category 2 (H319) Chronic aquatic toxicity, Category 3 (H412) | | 3-10 |
| alkyl alcohol alkoxylate | [4] | 196823-11-7 | [4] | Eye irritation, Category 2 (H319) | | 3-10 |
| alkyl alcohol ethoxylate | [4] | 69011-36-5 | [4] | Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) | | 1-3 |

Specific concentration limits

sodium hydroxide:

- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%
- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|------------------|-------------------------|--------------------------|
| sodium hydroxide | | 2 mg/m ³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hydroxide | - | - | - | - |
| sodium cumenesulphonate | - | - | - | 3.8 |
| alkyl alcohol ethoxylate | - | - | - | 25 |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--------------------------|----------------------------|--|---------------------------|---|
| sodium hydroxide | 2 % | - | - | - |
| sodium cumenesulphonate | - | - | - | 136.25 |
| alkyl alcohol ethoxylate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |

| | | | | |
|--------------------------|---|---|---|---|
| alkyl alcohol ethoxylate | - | - | - | - |
|--------------------------|---|---|---|---|

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--------------------------|----------------------------|--|---------------------------|---|
| sodium hydroxide | 2 % | - | - | - |
| sodium cumenesulphonate | - | - | - | 68.1 |
| alkyl alcohol ethoxylate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hydroxide | - | - | 1 | - |
| sodium cumenesulphonate | - | - | - | 26.9 |
| alkyl alcohol ethoxylate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hydroxide | - | - | 1 | - |
| sodium cumenesulphonate | - | - | - | 6.6 |
| alkyl alcohol ethoxylate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| sodium hydroxide | - | - | - | - |
| sodium cumenesulphonate | 0.23 | 0.023 | 2.3 | 100 |
| alkyl alcohol ethoxylate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--------------------------|------------------------------|--------------------------|-------------------|-------------------|
| sodium hydroxide | - | - | - | - |
| sodium cumenesulphonate | 0.862 | 0.0862 | 0.037 | - |
| alkyl alcohol ethoxylate | - | - | - | - |
| alkyl alcohol alkoxylate | No data available | No data available | No data available | No data available |
| alkyl alcohol ethoxylate | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific worker exposure description | LCS | PROC | Duration (min) | ERC |
|---------------------------------|--|-----|---------|----------------|-------|
| Manual transfer and dilution | AISE_SWED_PW_8a_1 | PW | PROC 8a | 60 | ERC8a |
| Automatic transfer and dilution | AISE_SWED_PW_8b_1 | PW | PROC 8b | 60 | ERC8b |

Activall F4r

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 16321). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 5

Appropriate engineering controls:

No special requirements under normal use conditions.

Appropriate organisational controls:

No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| | SWED | LCS | PROC | Duration (min) | ERC |
|---|-------------------|-----|---------|----------------|-------|
| Machine application | AISE_SWED_PW_10_1 | PW | PROC 10 | 480 | ERC8a |
| Manual application by brushing, wiping or mopping | | | | | |
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |
| Automatic application in a dedicated system | AISE_SWED_PW_4_1 | PW | PROC 4 | 480 | ERC8a |

Personal protective equipment

Eye / face protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Colourless

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

N.A.

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--------------------------|-------------------|------------------|----------------------------|
| sodium hydroxide | > 990 | Method not given | |
| sodium cumenesulphonate | No data available | | |
| alkyl alcohol ethoxylate | No data available | | |
| alkyl alcohol alkoxylate | No data available | | |
| alkyl alcohol ethoxylate | > 200 | Method not given | |

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: ≥ 11.5 (neat)
Dilution pH: > 11 (5 %)
Kinematic viscosity: Not determined
Solubility in / Miscibility with water: Fully miscible

Method / remark

N.A
 ISO 4316
 ISO 4316

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--------------------------|-------------------|------------------|------------------|
| sodium hydroxide | 1000 | Method not given | 20 |
| sodium cumenesulphonate | 493 Soluble | Method not given | 20 |
| alkyl alcohol ethoxylate | Partly soluble | Method not given | 20 |
| alkyl alcohol alkoxylate | No data available | | |
| alkyl alcohol ethoxylate | Soluble | Method not given | 20 |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: See substance data.

Method / remark

See substance data

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--------------------------|-------------------|------------------|------------------|
| sodium hydroxide | < 1330 | Method not given | 20 |
| sodium cumenesulphonate | No data available | | |
| alkyl alcohol ethoxylate | < 100 | | |
| alkyl alcohol alkoxylate | No data available | | |
| alkyl alcohol ethoxylate | Negligible | Method not given | 20-25 |

Relative density: ≈ 1.05 (20 °C)
Relative vapour density: -
Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Corrosive

N.A
 N.A.
 Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Oral (mg/kg) |
|--------------------------|------------------|-------------------|---------|------------------------|-------------------|------------------|
| sodium hydroxide | | No data available | | | | Not established |
| sodium cumenesulphonate | LD ₅₀ | > 7000 | Rat | Method not given | | Not established |
| alkyl alcohol ethoxylate | LD ₅₀ | > 2000 | Rat | OECD 423 (EU B.1 tris) | | Not established |
| alkyl alcohol alkoxylate | LD ₅₀ | > 2000-5000 | Rat | OECD 423 (EU B.1 tris) | | Not established |
| alkyl alcohol ethoxylate | LD ₅₀ | > 300-2000 | Rat | OECD 423 (EU B.1 tris) | | 20000 |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
|--------------------------|------------------|-------------------|---------|------------------|-------------------|--------------------|
| sodium hydroxide | LD ₅₀ | 1350 | Rabbit | Method not given | | Not established |
| sodium cumenesulphonate | LD ₅₀ | > 2000 | Rabbit | Method not given | | Not established |
| alkyl alcohol ethoxylate | LD ₅₀ | > 2000 | Rat | Method not given | | Not established |
| alkyl alcohol alkoxylate | | No data available | | | | Not established |
| alkyl alcohol ethoxylate | LD ₅₀ | > 2000 | Rabbit | Method not given | | Not established |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|------------------|----------------------------------|---------|-------------|-------------------|
| sodium hydroxide | | No data available | | | |
| sodium cumenesulphonate | LC ₅₀ | > 5 (mist) No mortality observed | Rat | Read across | 3.87 |
| alkyl alcohol ethoxylate | | No data available | | | |
| alkyl alcohol alkoxylate | | No data available | | | |
| alkyl alcohol ethoxylate | | No data available | | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|--------------------------|-------------------------------|-------------------------------|---------------------------------|------------------------------|
| sodium hydroxide | Not established | Not established | Not established | Not established |
| sodium cumenesulphonate | Not established | Not established | Not established | Not established |
| alkyl alcohol ethoxylate | Not established | Not established | Not established | Not established |
| alkyl alcohol alkoxylate | Not established | Not established | Not established | Not established |
| alkyl alcohol ethoxylate | Not established | Not established | Not established | Not established |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|---------------|---------|--|---------------|
| sodium hydroxide | Corrosive | Rabbit | Method not given | |
| sodium cumenesulphonate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| alkyl alcohol ethoxylate | Not irritant | Rabbit | Weight of evidence Non guideline test | |
| alkyl alcohol alkoxylate | Mild irritant | Rabbit | OECD 404 (EU B.4) | |
| alkyl alcohol ethoxylate | Not irritant | Rabbit | OECD 404 (EU B.4) | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|---------------|---------|--------------------|---------------|
| sodium hydroxide | Corrosive | Rabbit | Method not given | |
| sodium cumenesulphonate | Irritant | Rabbit | OECD 405 (EU B.5) | |
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Weight of evidence | |

| | | | | |
|--------------------------|---------------|--------|--------------------|--|
| | | | Non guideline test | |
| alkyl alcohol alkoxylate | Irritant | Rabbit | OECD 405 (EU B.5) | |
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|-------------------|---------|--------|---------------|
| sodium hydroxide | No data available | | | |
| sodium cumenesulphonate | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| alkyl alcohol alkoxylate | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--------------------------|-------------------|------------|---------------------------|-------------------|
| sodium hydroxide | Not sensitising | | Human repeated patch test | |
| sodium cumenesulphonate | Not sensitising | Guinea pig | OECD 406 (EU B.6) / GPMT | |
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | | |
| alkyl alcohol alkoxylate | No data available | | | |
| alkyl alcohol ethoxylate | Not sensitising | Guinea pig | Method not given | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--------------------------|-------------------|---------|--------|---------------|
| sodium hydroxide | No data available | | | |
| sodium cumenesulphonate | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |
| alkyl alcohol alkoxylate | No data available | | | |
| alkyl alcohol ethoxylate | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--------------------------|---|---|---|---------------------------------------|
| sodium hydroxide | No evidence for mutagenicity, negative test results | DNA repair test on rat hepatocytes OECD 473 | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) OECD 475 (EU B.11) |
| sodium cumenesulphonate | No evidence for mutagenicity, negative test results | Method not given | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |
| alkyl alcohol ethoxylate | No evidence for mutagenicity | OECD 471 (EU B.12/13) | No evidence for mutagenicity, negative test results | Weight of evidence |
| alkyl alcohol alkoxylate | No data available | | No data available | |
| alkyl alcohol ethoxylate | No evidence of genotoxicity, negative test results | Method not given | No evidence of genotoxicity, negative test results | Method not given |

Carcinogenicity

| Ingredient(s) | Effect |
|--------------------------|--|
| sodium hydroxide | No evidence for carcinogenicity, weight-of-evidence |
| sodium cumenesulphonate | No evidence for carcinogenicity, negative test results |
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, weight-of-evidence |
| alkyl alcohol alkoxylate | No data available |
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, weight-of-evidence |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--------------------------|----------|---------------------|--------------------|---------|--------------------|---------------|--|
| sodium hydroxide | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |
| sodium cumenesulphonate | NOAEL | Teratogenic effects | > 936 | Rat | Non guideline test | | No known significant effects or critical hazards |
| alkyl alcohol ethoxylate | | | - | | Weight of evidence | | No evidence for reproductive toxicity No evidence for teratogenic effects |
| alkyl alcohol alkoxylate | | | No data available | | | | |
| alkyl alcohol ethoxylate | NOAEL | Teratogenic effects | > 50 | Rat | Not known | | No known significant effects or critical hazards |

Activall F4r

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| sodium hydroxide | | No data available | | | | |
| sodium cumenesulphonate | NOAEL | 763 - 3534 | Rat | OECD 408 (EU B.26) | | No effects observed |
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl alcohol alkoxylate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sodium hydroxide | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl alcohol alkoxylate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sodium hydroxide | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl alcohol alkoxylate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--------------------------|----------------|----------|--------------------|---------|------------------|---------------|--------------------------------------|--------|
| sodium hydroxide | | | No data available | | | | | |
| sodium cumenesulphonate | | | No data available | | | | | |
| alkyl alcohol ethoxylate | | | No data available | | | | | |
| alkyl alcohol alkoxylate | | | No data available | | | | | |
| alkyl alcohol ethoxylate | Oral | NOAEL | 50 | Rat | Method not given | 24 month(s) | Effects on organ weights | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--------------------------|-------------------|
| sodium hydroxide | No data available |
| sodium cumenesulphonate | Not applicable |
| alkyl alcohol ethoxylate | Not applicable |
| alkyl alcohol alkoxylate | No data available |
| alkyl alcohol ethoxylate | Not applicable |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--------------------------|-------------------|
| sodium hydroxide | No data available |
| sodium cumenesulphonate | Not applicable |
| alkyl alcohol ethoxylate | Not applicable |
| alkyl alcohol alkoxylate | No data available |
| alkyl alcohol ethoxylate | Not applicable |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|------------------|--------------|-------------------|--------------------|-------------------|
| sodium hydroxide | LC ₅₀ | 35 | Various species | Method not given | 96 |
| sodium cumenesulphonate | LC ₅₀ | > 1000 | Fish | EPA-OPPTS 850.1075 | 96 |
| alkyl alcohol ethoxylate | LC ₅₀ | > 1 - 10 | Cyprinus carpio | OECD 203 (EU C.1) | 96 |
| alkyl alcohol alkoxylate | LC ₅₀ | > 1-10 | Brachydanio rerio | OECD 203 (EU C.1) | 96 |
| alkyl alcohol ethoxylate | LC ₅₀ | > 1 - 10 | Cyprinus carpio | OECD 203 (EU C.1) | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|------------------|--------------|----------------------|-------------------|-------------------|
| sodium hydroxide | EC ₅₀ | 40.4 | Ceriodaphnia sp. | Method not given | 48 |
| sodium cumenesulphonate | EC ₅₀ | > 1000 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |
| alkyl alcohol ethoxylate | EC ₅₀ | > 1 - 10 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |
| alkyl alcohol alkoxylate | EC ₅₀ | > 1-10 | Not specified | 79/831/EEC | 48 |
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | Daphnia magna Straus | OECD 202, static | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--------------------------|--------------------------------|--------------|----------------------------|--------------------|-------------------|
| sodium hydroxide | EC ₅₀ | 22 | Photobacterium phosphoreum | Method not given | 0.25 |
| sodium cumenesulphonate | E _b C ₅₀ | > 230 | Not specified | EPA OPPTS 850.5400 | 96 |
| alkyl alcohol ethoxylate | EC ₅₀ | > 1 - 10 | Desmodesmus subspicatus | OECD 201 (EU C.3) | 72 |
| alkyl alcohol alkoxylate | EC ₅₀ | > 10-100 | Not specified | DIN 38412, Part 9 | 72 |
| alkyl alcohol ethoxylate | EC ₅₀ | 1 - 10 | Desmodesmus subspicatus | OECD 201, static | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--------------------------|----------|-------------------|---------|--------|----------------------|
| sodium hydroxide | | No data available | | | |
| sodium cumenesulphonate | | No data available | | | |
| alkyl alcohol ethoxylate | | No data available | | | |
| alkyl alcohol alkoxylate | | No data available | | | |
| alkyl alcohol ethoxylate | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value | Inoculum | Method | Exposure |
|---------------|----------|-------|----------|--------|----------|
|---------------|----------|-------|----------|--------|----------|

Activall F4r

| | | (mg/l) | | | time |
|--------------------------|--------------------------------|-------------------|-------------------------|--------------------|--------------|
| sodium hydroxide | | No data available | | | |
| sodium cumenesulphonate | E _r C ₅₀ | > 1000 | <i>Bacteria</i> | OECD 209 | 3 hour(s) |
| alkyl alcohol ethoxylate | EC ₅₀ | 140 | <i>Activated sludge</i> | Weight of evidence | 17 hour(s) |
| alkyl alcohol alkoxylate | EC ₂₀ | > 10 | <i>Activated sludge</i> | OECD 209 | 30 minute(s) |
| alkyl alcohol ethoxylate | EC ₁₀ | > 10000 | <i>Activated sludge</i> | DIN 38412 / Part 8 | 17 hour(s) |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--------------------------|----------|-------------------|----------------------|-------------------------|---------------|------------------|
| sodium hydroxide | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | NOEC | 1.73 | <i>Not specified</i> | QSAR Weight of evidence | 96 hour(s) | |
| alkyl alcohol alkoxylate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--------------------------|----------|-------------------|------------------------------------|-------------------------|---------------|------------------|
| sodium hydroxide | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | NOEC | 1.36 | <i>Daphnia magna Not specified</i> | QSAR Weight of evidence | 21 day(s) | |
| alkyl alcohol alkoxylate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |
| sodium cumenesulphonate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |
| alkyl alcohol alkoxylate | | No data available | | | | |
| alkyl alcohol ethoxylate | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|------------------|-----------------------|-----------------------|----------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |
| alkyl alcohol ethoxylate | LD ₅₀ | > 1000 | <i>Eisenia fetida</i> | OECD 207 | 14 | |
| alkyl alcohol ethoxylate | NOEC | 220 | <i>Eisenia fetida</i> | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--------------------------|------------------|-----------------------|---|----------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |
| alkyl alcohol ethoxylate | EC ₅₀ | > 100 | <i>Triticum aestivum</i> <i>Lepidium sativum</i> <i>Brassica alba</i> | OECD 208 | | |

Activat F4r

| | | | | | | |
|--------------------------|------|----|-------------------------|----------|--|--|
| alkyl alcohol ethoxylate | NOEC | 10 | <i>Lepidium sativum</i> | OECD 208 | | |
|--------------------------|------|----|-------------------------|----------|--|--|

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data available | | | | |

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|------------------|----------------|------------------|-------------------------|--------|
| sodium hydroxide | 13 second(s) | Method not given | Rapidly photodegradable | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|------------------|-------------------------------|--------|------------|--------|
| sodium hydroxide | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|------------------|------|-------------------|--------|------------|--------|
| sodium hydroxide | | No data available | | | |

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|--------------------------|--------------------------|----------------------------|-------------------------|-----------|--------------------------------------|
| sodium hydroxide | | | | | Not applicable (inorganic substance) |
| sodium cumenesulphonate | | CO ₂ production | 103 - 109% in 28 day(s) | OECD 301B | Readily biodegradable |
| alkyl alcohol ethoxylate | | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |
| alkyl alcohol alkoxylate | | CO ₂ production | > 60 % in 28 day(s) | ISO 14593 | Readily biodegradable |
| alkyl alcohol ethoxylate | Activated sludge, aerobe | CO ₂ production | > 60 % in 28 day(s) | OECD 301B | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|--------------------------|---------------|-------------------|------------------|--------|-------------------|
| sodium hydroxide | | | | | No data available |
| alkyl alcohol ethoxylate | | | | | Biodegradable |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|------------------|---------------|-------------------|------------------|--------|-------------------|
| sodium hydroxide | | | | | No data available |

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--------------------------|-------------------|------------------|--------------------------------------|--------|
| sodium hydroxide | No data available | | Not relevant, does not bioaccumulate | |
| sodium cumenesulphonate | -1.1 | Method not given | No bioaccumulation expected | |
| alkyl alcohol ethoxylate | No data available | | Not relevant, does not bioaccumulate | |
| alkyl alcohol alkoxylate | No data available | | | |

Actival F4r

| | | | | |
|--------------------------|------|------|-----------------------------|--|
| alkyl alcohol ethoxylate | 4.09 | QSAR | No bioaccumulation expected | |
|--------------------------|------|------|-----------------------------|--|

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|--------------------------|-------------------|---------|--------|-----------------------------|--------|
| sodium hydroxide | No data available | | | | |
| sodium cumenesulphonate | No data available | | | | |
| alkyl alcohol ethoxylate | No data available | | | | |
| alkyl alcohol alkoxylate | No data available | | | | |
| alkyl alcohol ethoxylate | - | | | No bioaccumulation expected | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log K _{oc} | Desorption coefficient Log K _{oc} (des) | Method | Soil/sediment type | Evaluation |
|--------------------------|--|--|--------|--------------------|------------------------------|
| sodium hydroxide | No data available | | | | Mobile in soil |
| sodium cumenesulphonate | No data available | | | | |
| alkyl alcohol ethoxylate | No data available | | | | |
| alkyl alcohol alkoxylate | No data available | | | | |
| alkyl alcohol ethoxylate | No data available | | | | Immobile in soil or sediment |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 15* - alkalines.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Activall F4r

Classification code: C5**Tunnel restriction code:** (E)**Hazard identification number:** 80**IMO/IMDG****EmS:** F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants
soap

5 - 15 %
< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005555**Version:** 01.1**Revision:** 2024-12-13**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.

Actival F4r

- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H320 - Causes eye irritation.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet