

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# Taski Jontec Forward QS F4i

Revision: 2024-10-16 Version: 07.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Taski Jontec Forward QS F4i

UFI: EF2J-91VJ-R002-4QKS

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.

For professional use only.

Uses other than those identified are not recommended. Uses advised against:

# $\mbox{SWED}$ - Sector-specific worker exposure description : $\mbox{AISE\_SWED\_PW\_8b\_2}$ $\mbox{AISE\_SWED\_PW\_4\_1}$

AISE\_SWED\_PW\_10\_1 AISE\_SWED\_PW\_19\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

#### **Contact details**

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

# 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

# 2.2 Label elements



Signal word: Warning.

#### Hazard statements:

H319 - Causes serious eye irritation.

### 2.3 Other hazards

No other hazards known.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
			number			percent
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-211945001 1-60	Not classified as hazardous		10-20

sodium alkylbenzenesulphonate	290-656-6	90194-45-9	[1]	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318)	3-10
alkyl alcohol alkoxylate	[4]	196823-11-7	[4]	Eye irritation, Category 2 (H319)	3-10
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)	1-3
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	[4]	78330-20-8	[4]	Eye irritation, Category 2 (H319)	1-3
ammonia	215-647-6	1336-21-6	01-211948887 6-14	Skin corrosion, Category 1B (H314) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)	0.1-1

#### Specific concentration limits

ammonia:

• Specific target organ toxicity - Single exposure, Category 3 (H335) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

# **SECTION 4: First aid measures**

4.1 Description of first aid measures

**Inhalation:** Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:** Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe irritation.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in postion 11.

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

# 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

# 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

# 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m³	150 ppm 924 mg/m³
ammonia	25 ppm 18 mg/m³	35 ppm 25 mg/m <sup>3</sup>

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

# **DNEL/DMEL** and **PNEC** values

Human exposure
DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	36
sodium alkylbenzenesulphonate	-	-	-	0.425
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available
ammonia	-	-	-	-

DNEL/DMEL dermal exposure - Worker

DNLL/DIVILL definal exposure - Worker				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	283
sodium alkylbenzenesulphonate	No data available	-	No data available	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available
ammonia	No data available	6.8	No data available	6.8

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
sodium alkylbenzenesulphonate	No data available	-	No data available	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available

ammonia	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	308
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available
ammonia	36	47.6	14	47.6

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	37.2
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available
ammonia	-	-	-	-

### **Environmental exposure**

Environmental exposure - PNE

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available
ammonia	0.0011	0.011	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
sodium alkylbenzenesulphonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available	No data available	No data available	No data available
ammonia	-	-	-	-

# 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.5

**Appropriate engineering controls:**No special requirements under normal use conditions.
Appropriate organisational controls:
No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Machine application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping					
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE SWED PW 4 1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Light , from Colourless to Yellow Odour: Product specific Ammonia

**Odour:** Product specific Ammonia **Odour threshold:** Not applicable

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	> 200	Method not given	
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available		
ammonia	28.5	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C closed cup

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
(2-methoxymethylethoxy)propanol	1.1	14
ammonia	15.4	33.6

Method / remark

Autoignition temperature: Not determined

**Decomposition temperature:** Not applicable.

**pH:** ≈ 11 (neat) ISO 4316 **Dilution pH:** ≈ 9 (0.5 %) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature	ı

	(g/l)		(°C)
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	Soluble	Method not given	20
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available		
ammonia	100 Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	37.1	Method not given	20
sodium alkylbenzenesulphonate	No data available		
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available		
ammonia	586500	Method not given	20

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: ≈ 1.03 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

# 9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

# 10.2 Chemical stability

Stable under normal storage and use conditions.

# 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

# 10.5 Incompatible materials

None known under normal use conditions.

# 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2A Species: Not applicable. Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

# Acute toxicity Acute oral toxicity

Value Method ATE Oral Ingredient(s) Endpoint Species Exposure (mg/kg) Not established (mg/kg) time (h) OECD 401 (EU B.1) (2-methoxymethylethoxy)propanol LD 50 > 5000 Rat > 1470 OECD 401 (EU B.1) sodium alkylbenzenesulphonate LD 50 Rat alkyl alcohol alkoxylate LD 50 > 2000-5000 Rat OECD 423 (EU B.1 tris)

1470 Not established alkyl alcohol ethoxylate LD 50 > 300-2000 Rat OECD 423 (EU B.1 tris) 22000 alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO) > 2000-5000 LD 50 Rat OECD 401 (EU B.1) 250000 LD 50 Rat Method not given Not established ammonia 350

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
(2-methoxymethylethoxy)propanol	LD 50	9510	Rabbit	Method not given		Not established
sodium alkylbenzenesulphonate		No data available				Not established
alkyl alcohol alkoxylate		No data available				Not established
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given		Not established
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established
ammonia		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC o	> 1.667 (vapour) No mortality observed	Rat		7
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data available			
ammonia	LC 50	7.035	Rat	Method not given	0.5

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
(2-methoxymethylethoxy)propanol	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	Not established	Not established	Not established	Not established
ammonia	Not established	Not established	Not established	Not established

# Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	Not irritant			
ammonia	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
sodium alkylbenzenesulphonate	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol alkoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	

alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	Irritant		
ammonia	Severe damage	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available			
ammonia	Irritating to respiratory tract		Method not given	

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	Not sensitising		Method not given	
ammonia	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
sodium alkylbenzenesulphonate	No data available			
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available			
ammonia	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	, ,
sodium alkylbenzenesulphonate	No data available		No data available	
alkyl alcohol alkoxylate	No data available		No data available	
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available		No data available	
ammonia	No evidence for mutagenicity		No evidence for mutagenicity	·

Carcinogenicity

Carolinegorileity		
Ingredient(s)		Effect
(2-methoxymethylethoxy)	propanol	No evidence for carcinogenicity, negative test results
sodium alkylbenzenesulp	honate	No data available
alkyl alcohol alkoxyla	ate	No data available
alkyl alcohol ethoxyl	ate	No evidence for carcinogenicity, weight-of-evidence
alcohols, C9-11-iso-, C10-rich, ethox	(ylated (>2.5-4EO)	No data available
ammonia		No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
(2-methoxymethylethox y)propanol			No data available				No evidence for reproductive toxicity
sodium alkylbenzenesulphonat e			No data available				
alkyl alcohol alkoxylate			No data available				
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
alcohols, C9-11-iso-, C10-rich, ethoxylated			No data available				

(>2.5-4EO)				
ammonia		No data		No evidence for reproductive
		available		toxicity

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data available				
ammonia	NOAEL	68		Method not given		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data available				
ammonia		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
(2-methoxymethylethoxy)propanol		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data available				
ammonia		No data available				

Chronic toxicity

Unronic toxicity								
Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
(2-methoxymethylethox y)propanol			No data available					
sodium alkylbenzenesulphonat e			No data available					
alkyl alcohol alkoxylate			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)			No data available					
ammonia			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
sodium alkylbenzenesulphonate	No data available
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	Not applicable

alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available
ammonia	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
sodium alkylbenzenesulphonate	No data available
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	Not applicable
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available
ammonia	No data available

# **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# 11.2 Information on other hazards

# 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC 50	> 1000	Poecilia reticulata	Method not given	96
sodium alkylbenzenesulphonate	LC 50	1.67	Lepomis macrochirus	EPA-OPPTS 850.1075	96
alkyl alcohol alkoxylate	LC 50	> 1-10	Brachydanio rerio	OECD 203 (EU C.1)	96
alkyl alcohol ethoxylate	LC 50	> 1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	LC 50	> 10	Oncorhynchus mykiss	Method not given	96
ammonia	LC 50	0.56 - 2.48	Fish	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC 50	1919	Daphnia magna Straus	Method not given	48
sodium alkylbenzenesulphonate	EC 50	1.62	Daphnia magna Straus		48
alkyl alcohol alkoxylate	EC 50	> 1-10	Not specified	79/831/EEC	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	EC 50	> 10	Not specified	Method not given	48
ammonia	EC 50	1.1 - 22.8	Daphnia magna Straus	Method not given	

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC 50	> 969	Selenastrum capricornutum	Method not given	72
sodium alkylbenzenesulphonate	EC 50	29	Selenastrum capricornutum		96
alkyl alcohol alkoxylate	EC 50	> 10-100	Not specified	DIN 38412, Part 9	72
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72

alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	EC 50	> 10	Not specified	Method not given	72
ammonia		No data			
		available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
(2-methoxymethylethoxy)propanol		No data available			
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data available			
ammonia		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
(2-methoxymethylethoxy)propanol	EC 10	4168	Pseudomonas putida	Method not given	
sodium alkylbenzenesulphonate		No data available			
alkyl alcohol alkoxylate	EC 20	> 10	Activated sludge	OECD 209	30 minute(s)
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	EC 10	> 2000	Activated sludge	DEV-L2	
ammonia		No data available			

Aquatic long-term toxicity
Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
(2-methoxymethylethoxy)propanol		No data				
		available				
sodium alkylbenzenesulphonate	NOEC	> 2.5-1		Method not		
				given		
alkyl alcohol alkoxylate		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data				
		available				
ammonia		No data				
		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	Daphnia magna	Method not given	22 day(s)	
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)		No data available				
ammonia		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
sodium alkylbenzenesulphonate		No data available				
alkyl alcohol alkoxylate		No data				

	available		
alkyl alcohol ethoxylate	No data		
	available		
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data		
	available		
ammonia	No data		
	available		

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida			

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208		

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

# 12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

 tolotio degliadation photodegliadation in an, in available.								
Ingredient(s)	Half-life time Method		Evaluation	Remark				
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable					

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85% in 29 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol alkoxylate		CO <sub>2</sub> production	> 60 % in 28 day(s)	ISO 14593	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
ammonia					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)								
Ingredient(s)	Value	Method	Evaluation	Remark				
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation					
sodium alkylbenzenesulphonate	No data available							
alkyl alcohol alkoxylate	No data available							
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected					
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available							
ammonia	0.23	Method not given	No bioaccumulation expected					

Bioconcentration factor (BCF)

	Ingredient(s)	Value	Species	Method	Evaluation	Remark		

(2-methoxymethylethox y)propanol	No data available			
sodium alkylbenzenesulphonat e	No data available			
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	-		No bioaccumulation expected	
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available			
ammonia	No data available			

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
sodium alkylbenzenesulphonate	No data available				
alkyl alcohol alkoxylate	No data available				
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
alcohols, C9-11-iso-, C10-rich, ethoxylated (>2.5-4EO)	No data available				
ammonia	No data available				Low mobillity in soil

# 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

# 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:** 20 01 29\* - detergents containing dangerous substances.

**Empty packaging** 

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

# **SECTION 14: Transport information**

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
   Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to Detergents Regulation

5 - 15 % non-ionic surfactants, anionic surfactants < 5 % soap

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7319 Version: 07.0 Revision: 2024-10-16

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 9, 11, 12, 16

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

# Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
   OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- · H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

**End of Safety Data Sheet**