

TASKI Jontec 300 ID F4c

Revision: 2024-08-07

Version: 06.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Jontec 300 ID F4c

UFI: W656-X0Q3-Q000-TN6F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.
For professional use only.
Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_4_1
AISE_SWED_PW_8b_2
AISE_SWED_PW_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H319 - Causes serious eye irritation.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol alkoxylate	[4]	9038-95-3	[4]	Acute toxicity - Oral, Category 4 (H302)		3-10
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)		3-10

TASKI Jontec 300 ID F4c

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	Causes severe irritation.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol alkoxylate	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

TASKI Jontec 300 ID F4c

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Green

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol alkoxyate	No data available		
alkyl alcohol ethoxyate	> 200	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C

Weight of evidence

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

TASKI Jontec 300 ID F4c

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: ≈ 8 (neat)
Dilution pH: ≈ 8 (1 %)
Kinematic viscosity: Not determined
Solubility in / Miscibility with water: Fully miscible

Method / remark

ISO 4316
 ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol alkoxylate	No data available		
alkyl alcohol ethoxylate	Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol alkoxylate	< 10	Method not given	20
alkyl alcohol ethoxylate	Negligible	Method not given	20-25

Relative density: ≈ 1.01 (20 °C)
Relative vapour density: -
Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

TASKI Jontec 300 ID F4c

Result: Eye irritant 2**Species:** Not applicable.**Method:** Weight of evidenceSubstance data, where relevant and available, are listed below:.**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
alkyl alcohol alkoxylate	LD ₅₀	> 300-2000	Rat	OECD 423 (EU B.1 tris)		250000
alkyl alcohol ethoxylate	LD ₅₀	> 300-2000	Rat	OECD 423 (EU B.1 tris)		11000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alkyl alcohol alkoxylate		No data available				Not established
alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Not irritant	Rabbit	OECD 404 (EU B.4) Read across	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5) Read across	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol alkoxylate	No data available			
alkyl alcohol ethoxylate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol alkoxylate	No data available		No data available	
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given

TASKI Jontec 300 ID F4c

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol alkoxylate			No data available				
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol alkoxylate			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	Not applicable

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol alkoxylate	No data available
alkyl alcohol ethoxylate	Not applicable

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	LC ₅₀	> 100	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96
alkyl alcohol ethoxylate	LC ₅₀	> 1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	EC ₅₀	> 100	<i>Daphnia magna</i> Straus	Method not given	48
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Daphnia magna</i> Straus	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol alkoxylate	EC ₅₀	> 100	<i>Not specified</i>	Method not given	72
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol alkoxylate		No data available			
alkyl alcohol ethoxylate	EC ₁₀	> 10000	<i>Activated sludge</i>	DIN 38412 / Part 8	17 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol alkoxylate		No data available				
alkyl alcohol ethoxylate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

TASKI Jontec 300 ID F4c

		(mg/kg dw soil)			time (days)	
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>			

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208		

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol alkoxylate	Activated sludge, aerobe	BOD removal	> 60% in 28 day(s)	OECD 301F	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol alkoxylate	-		No bioaccumulation expected	
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol alkoxylate	No data available				
alkyl alcohol ethoxylate	-			No bioaccumulation expected	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkyl alcohol alkoxylate	No data available				
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

TASKI Jontec 300 ID F4c

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants	5 - 15 %
soap, anionic surfactants	< 5 %
perfumes , Phenoxyethanol, Amyl Cinnamal, Hexyl Cinnamal, Linalool, Benzisothiazolinone, Benzyl Alcohol	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS6723

Version: 06.1

Revision: 2024-08-07

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s): 1, 4, 6, 7, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H318 - Causes serious eye damage.

End of Safety Data Sheet