



**Oasis Pro Floor**

**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product name : Oasis Pro Floor  
Product code : 116790E  
Use of the Substance/Mixture : Floor Cleaner  
Substance type: : Mixture

**For professional users only.**

Product dilution information : No dilution information provided.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : General purpose cleaner. Spray and wipe manual process  
Floor cleaner. Semi-Automatic process  
Floor cleaner. Manual process  
Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Ecolab Ltd.  
PO Box 11; Winnington Avenue  
Northwich, Cheshire, United Kingdom CW8 4DX  
+ 44 (0)1606 74488  
ccs@ecolab.com

**1.4 Emergency telephone number**

Emergency telephone number : Food & Beverage, Institutional, Agriculture, Textile Hygiene:  
Northwich: +44 (0)1606 74488  
Healthcare Leeds: +44 (0)113 232 2480  
Healthcare Swansea: +44 (0)1235 239670  
Poison Information Centre telephone number : Not Available

Date of Compilation/Revision : 05.06.2017  
Version : 1.2

**Section: 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture., The classification of this product is based on toxicological

**Oasis Pro Floor**

assessment.

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

**Additional Labelling:**

Special labelling of certain mixtures : Safety data sheet available on request.

**2.3 Other hazards**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	ClassificationREGULATION (EC) No 1272/2008	Concentration: [%]
Fattyalcohol ethoxylates =/ $\leq$ C15 and =/ $\leq$ 5EO	31726-34-8	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Eye irritation Category 2; H319	$\geq$ 3 - < 5
(Fatty Acid) Alkylsulphosuccinates	577-11-7 209-406-4	Skin irritation Category 2; H315 Serious eye damage Category 1; H318	$\geq$ 2.5 - < 3
<b>Substances with a workplace exposure limit :</b>			
ethanol	64-17-5 200-578-6 01-2119457610-43	Flammable liquids Category 2; H225	$\geq$ 1 - < 2.5
monoethanolamine	141-43-5 205-483-3 01-2119486455-28	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Acute toxicity Category 4; H312 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H335	$\geq$ 0.5 - < 1

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

**Oasis Pro Floor**

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment : No specific measures identified.

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel : Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

Environmental precautions : No special environmental precautions required.

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

**Oasis Pro Floor**

vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
 For personal protection see section 8.  
 See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Advice on safe handling : Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

Hygiene measures : Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 0 °C to 40 °C

**7.3 Specific end uses**

Specific use(s) : General purpose cleaner. Spray and wipe manual process  
 Floor cleaner. Semi-Automatic process  
 Floor cleaner. Manual process

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m <sup>3</sup>	UKCOSSTD
Further information	2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used		
monoethanolamine	141-43-5	TWA	1 ppm 2.5 mg/m <sup>3</sup>	UKCOSSTD
Further information	Sk	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
		STEL	3 ppm 7.6 mg/m <sup>3</sup>	UKCOSSTD
Further information	Sk	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		

**8.2 Exposure controls**

**Oasis Pro Floor**

**Appropriate engineering controls**

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures**

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC ), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : clear, dark green  
Odour : pleasant  
pH : 10.1 - 10.6, 100 %  
Flash point : 76 °C closed cup, Does not sustain combustion.  
Odour Threshold : Not applicable and/or not determined for the mixture  
Melting point/freezing point : Not applicable and/or not determined for the mixture  
Initial boiling point and boiling range : > 100 °C  
Evaporation rate : Not applicable and/or not determined for the mixture  
Flammability (solid, gas) : Not applicable and/or not determined for the mixture  
Upper explosion limit : Not applicable and/or not determined for the mixture  
Lower explosion limit : Not applicable and/or not determined for the mixture  
Vapour pressure : Not applicable and/or not determined for the mixture  
Relative vapour density : Not applicable and/or not determined for the mixture  
Relative density : 1.004 - 1.014

**Oasis Pro Floor**

Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n-octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: 16.000 mm <sup>2</sup> /s (40 °C)
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Heat, flames and sparks.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

Decomposition products may include the following materials:

Carbon oxides  
nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Oxides of phosphorus

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

**Oasis Pro Floor**

- Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg
- Acute inhalation toxicity : There is no data available for this product.
- Acute dermal toxicity : There is no data available for this product.
- Respiratory or skin sensitization : There is no data available for this product.
- Carcinogenicity : There is no data available for this product.
- Reproductive effects : There is no data available for this product.
- Germ cell mutagenicity : There is no data available for this product.
- Teratogenicity : There is no data available for this product.
- STOT - single exposure : There is no data available for this product.
- STOT - repeated exposure : There is no data available for this product.
- Aspiration toxicity : There is no data available for this product.

**Components**

- Acute oral toxicity : Fattyalcohol ethoxylates  $\leq$  C15 and  $\leq$  5EO  
LD50 rat: 1,250 mg/kg  
Test substance: Information given is based on data obtained from similar substances.
- (Fatty Acid) Alkylsulphosuccinates  
LD50 rat: 3,000 mg/kg
- ethanol  
LD50 rat: 10,470 mg/kg
- monoethanolamine  
LD50 rat: 1,089 mg/kg

**Components**

- Acute inhalation toxicity : ethanol  
4 h LC50 rat: 117 mg/l
- monoethanolamine  
4 h LC50 rat: 1.6 mg/l

**Components**

- Acute dermal toxicity : Fattyalcohol ethoxylates  $\leq$  C15 and  $\leq$  5EO  
LD50 rat: > 2,000 mg/kg  
Test substance: Information given is based on data obtained from similar substances.
- (Fatty Acid) Alkylsulphosuccinates  
LD50 rabbit: 10,000 mg/kg
- ethanol  
LD50 rabbit: > 15,800 mg/kg

**Oasis Pro Floor**

monoethanolamine  
LD50 rabbit: 1,025 mg/kg

**Potential Health Effects**

Eyes : Health injuries are not known or expected under normal use.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**Section: 12. ECOLOGICAL INFORMATION**

**12.1 Ecotoxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product**

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

**Components**

Toxicity to fish : Fattyalcohol ethoxylates  $\leq$  C15 and  $\leq$  5EO  
96 h LC50 Brachydanio rerio (zebrafish): > 100 mg/l  
Test substance: Information given is based on data obtained from similar substances.  
  
(Fatty Acid) Alkylsulphosuccinates  
96 h LC50 Danio rerio (zebra fish): 49 mg/l  
  
ethanol  
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

**Components**

Toxicity to daphnia and other aquatic invertebrates : Fattyalcohol ethoxylates  $\leq$  C15 and  $\leq$  5EO  
48 h EC50 Daphnia magna (Water flea): > 100 mg/l  
Test substance: Information given is based on data obtained from similar substances.

**Oasis Pro Floor**

(Fatty Acid) Alkylsulphosuccinates  
48 h EC50 Daphnia magna (Water flea): 6.6 mg/l

monoethanolamine  
48 h EC50 Daphnia: 65 mg/l

**Components**

Toxicity to algae : Fattyalcohol ethoxylates  $\leq$  C15 and  $\leq$  5EO  
72 h EC50: > 100 mg/l  
Test substance: Information given is based on data obtained from similar substances.

(Fatty Acid) Alkylsulphosuccinates  
72 h EC50 Desmodesmus subspicatus (green algae): 82.5 mg/l

**12.2 Persistence and degradability**

**Product**

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

**Components**

Biodegradability : Fattyalcohol ethoxylates  $\leq$  C15 and  $\leq$  5EO  
Result: Readily biodegradable.

(Fatty Acid) Alkylsulphosuccinates  
Result: Readily biodegradable.

ethanol  
Result: Readily biodegradable.

monoethanolamine  
Result: Readily biodegradable.

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

**Oasis Pro Floor**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**13.1 Waste treatment methods**

- Product : Diluted product can be flushed to sanitary sewer.
- Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.
- Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- 14.1 UN number : Not dangerous goods
- 14.2 UN proper shipping name : Not dangerous goods
- 14.3 Transport hazard class(es) : Not dangerous goods
- 14.4 Packing group : Not dangerous goods
- 14.5 Environmental hazards : Not dangerous goods
- 14.6 Special precautions for user : Not dangerous goods

**Air transport (IATA)**

- 14.1 UN number : Not dangerous goods
- 14.2 UN proper shipping name : Not dangerous goods
- 14.3 Transport hazard class(es) : Not dangerous goods
- 14.4 Packing group : Not dangerous goods
- 14.5 Environmental hazards : Not dangerous goods
- 14.6 Special precautions for user : Not dangerous goods

**Sea transport (IMDG/IMO)**

- 14.1 UN number : Not dangerous goods
- 14.2 UN proper shipping name : Not dangerous goods
- 14.3 Transport hazard class(es) : Not dangerous goods
- 14.4 Packing group : Not dangerous goods
- 14.5 Environmental hazards : Not dangerous goods

**Oasis Pro Floor**

14.6 Special precautions for user : Not dangerous goods  
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not dangerous goods

**Section: 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

according to Detergents Regulation EC 648/2004 : less than 5 %: Anionic surfactants, Non-ionic surfactants  
Other constituents: Perfumes  
Preservation agents:  
2-Methyl-4-isothiazolin-3-one  
1,2-benzisothiazol-3(2H)-one  
Allergens:  
Linalool

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations.  
The Control of Substances Hazardous to Health Regulations.  
Health and Safety at Work Act.

**15.2 Chemical Safety Assessment**

This product contains substances for which Chemical Safety Assessments are still required.

**Section: 16. OTHER INFORMATION**

**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

Classification	Justification
Not a hazardous substance or mixture.	Calculation method

**Full text of H-Statements**

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

**Full text of other abbreviations**

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM –

**Oasis Pro Floor**

American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; Ems – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**ANNEX: EXPOSURE SCENARIOS**

**DPD+ Substances:**

The following substances are the lead substances that contribute to the mixture Exposure Scenario according to the DPD+ Rule:

Route	Substance	CAS-No.	EINECS-No.
Ingestion	Fattyalcohol ethoxylates =< C15 and =< 5EO	31726-34-8	

**Oasis Pro Floor**

Inhalation	No lead substance		
Dermal	Fattyalcohol ethoxylates =/< C15 and =/< 5EO	31726-34-8	
Eyes	(Fatty Acid) Alkylsulphosuccinates	577-11-7	209-406-4
aquatic environment	No lead substance		

**Physical properties DPD+ Substances:**

Substance	Vapour pressure	Water solubility	Pow	Molar Mass
(Fatty Acid) Alkylsulphosuccinates	< 0.0000001 hPa	8.17 g/l	99.54	

To calculate if your downstream Operating Conditions and Risk management Measures are safe, please calculate your risk factor at the website below:

[www.ecetoc.org/tra](http://www.ecetoc.org/tra)

**Short title of Exposure Scenario** : **General purpose cleaner. Spray and wipe manual process**

**Use descriptors**

- Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Process categories : **PROC10:** Roller application or brushing  
**PROC11:** Non industrial spraying  
**PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based products)
- Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems

**Short title of Exposure Scenario** : **Floor cleaner. Semi-Automatic process**

**Use descriptors**

- Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Oasis Pro Floor**

- Process categories : **PROC10:** Roller application or brushing  
**PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based products)
- Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems

**Short title of Exposure Scenario** : **Floor cleaner. Manual process**

**Use descriptors**

- Main User Groups : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Sectors of end-use : **SU22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Process categories : **PROC10:** Roller application or brushing  
**PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
- Product categories : **PC35:** Washing and cleaning products (including solvent based products)
- Environmental Release Categories : **ERC8a:** Wide dispersive indoor use of processing aids in open systems